

GPA320



SEAMLESS KNITTED POLYAMIDE GLOVE WITH LATEX FOAM COATING

DESCRIPTION

- > Excellent dexterity and comfort thanks to the elastic coating and ergonomic design
- > Outstanding grip in dry or moderately wet environments thanks to the ruffled finish
- > Alternative to grain leather/cotton gloves with a good value for money
- > Contact heat resistance 1 (100 °C for at least 15 seconds)

APPLICATION

- > Precision handling of lightly abrasive pieces
- > Construction industry
- > Gardening / DIY

CAT	CAT.II
Environment	Dry or moderately wet/oily
Construction	Seamless knitted
Gauge	13
Coating area	Palm
Length (mm)	220-260
Cuff type	Elasticized knitted wrist
Ambidextrous	No
Size	6-10
Packing	Sales Units: 12 PA



MECHANICAL PROTECTION

EN388



2141X

HEAT AND/OR FIRE PROTECTION

EN407



X1XXXX



Release 22/03/2024

REGISTRATED TRADEMARK SAFETY SYSTEM
(DEP.NUM. 302017000074272)



Lanzi SRL Via Giulio Natta, 27/A Torino - Italia
Tel: +39 011 2284011 - Fax: + 39 011 2884022
contact@lanzigroup.com